



Contribution ID: 24

Type: **Regular talk**

Natural time scales embedded in the mitoBK ion current dynamics

Wednesday, September 21, 2022 10:40 AM (25 minutes)

We address the two-fold applicability of the power spectrum density of the large-conductance voltage- and Ca^{2+} -activated potassium channels of the inner mitochondrial membrane (mitoBK). First, we will address the estimation of the optimal sampling frequency for the fibroblast's mitoBK patch-clamp data analysis [1], employing the process with doubly harmonic diminution, known to produce pink noise [2]. Next, we will discuss the ion current's empirical modes [3] in detail. We will show that the consecutive mode's power spectra show known $1/f$ characteristics. The brief correspondence of the instantaneous frequencies to the actual time scales will also be presented.

[1] L. Machura, A. Wawrzekiewicz-Jałowicka, P. Bednarczyk, and P. Trybek, Linking the Sampling Frequency with Multiscale Entropy to classify mitoBK patch-clamp data, *Biomed. Signal. Process. Control* 76, 103680 (2022).

[2] P.M. Riechers, J.P. Crutchfield, Fraudulent white noise: Flat power spectra belie arbitrarily complex processes, *Phys. Rev. Res.* 3 013170 (2021).

[3] N.E. Huang et al., The empirical mode decomposition and the Hilbert spectrum for nonlinear and non-stationary time series analysis, *Proc. R. Soc. Lond. A* 454.1971 (1998).

Primary authors: MACHURA, Lukasz (University of Silesia); Dr TRYBEK, Paulina (University of Silesia in Katowice, Faculty of Science and Technology, Chorzów, 41-500, Poland); WAWRZKIEWICZ-JALOWIECKA, Agata (Silesian University of Technology, Faculty of Chemistry)

Presenter: MACHURA, Lukasz (University of Silesia)

Session Classification: Wednesday session